

## CLAIMS

1. Container of substantially form-retaining material, for instance aluminium, steel or other metal, or PET (polyethylene terephthalate) or other plastic, for a liquid which must be provided prior to consumption with a foaming head, such as chocolate milk, cappuccino, milkshake, which container comprises:

a circumferential wall;  
a base which is connected along its whole periphery to this wall or is integrally formed therewith;  
a cover which, after filling of the container with the liquid, is optionally arranged on the side remote from the base and which is connected to this wall along its whole periphery; and

a cartridge present in the container and in the filled and closed situation of the container at least partially filled with a gas under pressure serving as foaming medium, in the wall of which cartridge is situated at least one continuous hole for passage of gas.

2. Container as claimed in claim 1, wherein gas is also situated in the liquid present in the container.

3. Container as claimed in claim 1, wherein the gas contains carbon dioxide.

4. Container as claimed in claim 1, wherein the gas contains nitrogen gas.

5. Container as claimed in claim 1, wherein the gas contains nitrous oxide.

6. Container as claimed in claim 2, wherein a first gas is dissolved in the liquid and a second gas substantially insoluble in the liquid is situated in the cartridge.

7. Container as claimed in claim 1, wherein the gas contains an aromatic component.

8. Container as claimed in claim 1, comprising:

sub A15

5

beaker, which beaker is coupled with the edge zone of its mouth to the base of the container by means of coupling

10

15

20

wherein the coupling means comprise snap means.

25

12. Container as claimed in claim 8,

30

13. Container as claimed in claim 12,

14. Container as claimed in claim 8,  
wherein the first passage is formed by

perforation.

Sub A1 &gt;

15. Container as claimed in claim 12,  
wherein the first passage is made by  
perforating with a bradawl having a conical tip.

5 16. Container as claimed in claims 13 and 15,  
wherein the tip of the bradawl has a shape  
corresponding with the shape of the passage and is  
displaced relative to the end wall of the cartridge over  
an axial distance corresponding with the desired shape of  
the passage.

10 17. Container as claimed in claim 8,  
wherein the exit of the first passage does not  
protrude axially beyond the peripheral edge of the end  
wall.

15 18. Container as claimed in claim 17,  
wherein the end wall has a recess.

19. Container as claimed in claim 8,  
wherein the cartridge consists substantially of  
the same material as the container.

20 20. Container as claimed in claim 8,  
wherein at least a part of the inner surface of  
the container and the surfaces of the cartridge are  
provided with a coating, for instance a lacquer coat.

\*\*\*\*\*

add A2 &gt;

F00250.00000000